PATENT COOPERATION TREATY

REC'D 16 MAY 2006

INTERNATIONAL PRELIMINARY REPORT ON PATENTABLEITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 40073PC/GC	FOR FURTHER ACTION	ON	See Form PCT/IPEA/416				
International application No.	International filing date (a	lay/month/year)	Priority date (day/month/year) 23 January 2004				
PCT/AU2005/000063	21 January 2005		23 January 2004				
International Patent Classification (IPC) or	national classification and	IPC					
Int. Cl.							
A61B 5/154 (2006.01)	A61B 5/154 (2006.01)						
	Applicant						
MEDIGARD LIMITED et al							
			·				
1. This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.							
2. This REPORT consists of a total of 3	sheets, including this cove	er sheet.	·				
3. This report is also accompanied by AN	NEXES, comprising:						
a. $oxed{X}$ (sent to the applicant and to the	ne International Bureau) a to	otal of 3 sheets, a	s follows:				
sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).							
sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.							
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing a sequence listing and/or table related thereto, in electronic form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).							
4. This report contains indications relati							
X Box No. I Basis of the rep	ort						
Box No. II Priority			j				
Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability							
Box No. IV Lack of unity of invention							
Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement							
Box No. VI Certain docum	ents cited						
Box No. VII Certain defects	Box No. VII Certain defects in the international application						
Box No. VIII Certain observe	ations on the international a	pplication					
D. C. Luinia Standamond	T	Date of completion of	of this report				
Date of submission of the demand 15 August 2005	i	8 April 2006	•				
Name and mailing address of the IPEA/AU		authorized Officer					
AUSTRALIAN PATENT OFFICE							
PO BOX 200, WODEN ACT 2606, AUSTF E-mail address: pct@ipaustralia.gov.au	RALIA	KAVIER GISZ					
Facsimile No. (02) 6285 3929	T	Telephone No. (02)	6283 2064				

ESTEPNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/AU2005/000063

Box	No. I	Basis of the report					
1.	With	regard to the language, this report is based on:					
	X	The international application in the language in which it was filed					
		A translation of the international application into , which is the language of a translation furnished for the purposes of:					
		international search (under Rules 12.3(a) and 23.1 (b))					
		publication of the international application (under Rule 12.4(a))					
		international preliminary examination (Rules 55.2(a) and/or 55.3(a))					
2.	furni	Tith regard to the elements of the international application, this report is based on (replacement sheets which have been rnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally ded" and are not annexed to this report): the international application as originally filed/furnished					
	$\overline{\mathbf{x}}$	the description:					
	لتتا	pages 1-16 as originally filed/furnished					
		pages* received by this Authority on with the letter of					
		pages* received by this Authority on with the letter of					
	X	the claims:					
		pages as originally filed/furnished					
		pages* 17-19 as amended (together with any statement) under Article 19 pages* received by this Authority on with the letter of					
		pages* received by this Authority on with the letter of					
	X the drawings:						
		pages $1/8 - 8/8$ as originally filed/furnished					
		pages* received by this Authority on with the letter of pages* received by this Authority on with the letter of					
		a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.					
3.		The amendments have resulted in the cancellation of:					
	the description, pages						
		the claims, Nos.					
	the drawings, sheets/figs						
	the sequence listing (specify):						
	any table(s) related to the sequence listing (specify):						
4.		This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).					
		the description, pages					
	the claims, Nos.						
		the drawings, sheets/figs					
		the sequence listing (specify):					
		any table(s) related to the sequence listing (specify):					
*	If i	tem 4 applies, some or all of those sheets may be marked "superseded."					

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

Claims

International application No.

NO

PCT/AU2005/000063

	citations and explanations supporting such statement							
Ì	1. Statement							
l	3.7 1/	(A.D.)	~••	1.0			MEC	

Novelty (N)	Claims	1-9	YES
	Claims	10	NO
Inventive step (IS)	Claims	1-9	YES.
4	Claims	10	NO
Industrial applicability (IA)	Claims	1-10	YES

2. Citations and explanations (Rule 70.7)

The following documents identified in the International Search Report have been considered for the purposes of this report:

D2.... US 6,572,565

Novelty (N) Claim 10

Claim 10: D2 discloses a blood sampling assembly with a retractable needle. The needle holder and attached needle are held in the cylinder (10) by tabs (20). To retract the needle the health care worker inserts, and rotates the tube (62) relative to cylinder (10) and the needle holder and needle are automatically withdrawn into the tube (62) (column 8 lines 38 to 43).

Inventive Step (IS) Claim 10

Claim 10 also lacks an inventive step for the reasons given above.

CLAIMS

5

10

15

20

25

30

- 1. A blood collection device comprising a housing having an open rear end adapted to accommodate an evacuated blood collecting tube, and a front end, a needle holder in the front end, a needle which is attached to the needle holder and which is double ended and has a first end (outer end) that projects from the housing and a second end (inner end) that projects into the housing, the needle holder being releasably attached relative to the housing to enable the needle holder and the attached needle to be retracted, and a needle retraction device, the needle retraction device able to be pushed into the housing to release the needle holder from the housing and to retract the needle holder containing the attached needle into the needle retraction device, wherein the needle holder contains at least one finger member that engages relative to the housing to retain the needle holder to the housing, the finger member being deflectable between a locking position where the finger member retains the needle holder to the housing, and a release position where the needle holder can be retracted into the housing.
- 2. The device as claimed in claim 1, wherein the needle holder comprises an assembly of at least two parts, the first part being an inner part and containing a passageway through which a puncture needle can extend to fit the puncture needle to the inner part, the second part comprising an outer nosepiece, the at least one finger member being attached relative to the nosepiece.
- 3. The device as claimed in claim 2, wherein the needle retraction device comprises an elongate hollow body which contains a vacuum and which has an open end, a piston which closes off the open end of the elongate hollow body and which is adapted for sliding movement within the hollow body, and which is releasably attached relative to the open end.
- 4. The device as claimed in claim 3, wherein the piston comprises at least one finger member which releasably attaches the piston relative to the one end of the hollow body, the finger member being movable between a locking position where the piston is attached to the hollow body, and a release position where the piston can be retracted into the hollow body under the influence of the vacuum.
- 5. The device as claimed in claim 4, wherein the at least one finger member on the piston extends forwardly from the piston, and the at least one finger

member on the needle holder extends rearwardly such that as the needle retraction device is pushed against the rear of the needle holder, the at least one finger member on the piston releases the at least one finger member on the needle holder, and engages to the at least one finger member on the needle holder.

6. The device as claimed in claim 5, wherein the housing is provided with a ramp in a forward portion of the housing, the ramp contacting the at least one finger member on the piston when the needle retraction device is pushed against the rear of the needle holder, the at least one finger member riding along the ramp to release the at least one finger member from engagement with the hollow body to enable the piston containing the attached needle holder to be retracted into the hollow body under the influence of vacuum.

5

10

15

20

25

30

- 7. The device as claimed in claim 6, wherein the piston contains a pierceable material that is pierced by the inner end of the needle when the needle retraction device is pushed against the rear of the needle holder to seal the inner end of the needle.
- 8. The device as claimed in claim 7, wherein the piston contains a speed controller to control a speed of retraction of the piston into the hollow body, the speed controller comprising a sealing member extending from the piston and sealingly engaging with the hollow body to increase the frictional force of the piston on the hollow body.
- 9. A blood collection device comprising a housing having an open rear end adapted to accommodate an evacuated blood collecting tube, and a front end, a needle holder in the front end, a needle which is attached to the needle holder and which is double ended and has a first end (outer end) that projects from the housing and a second end (inner end) that projects into the housing, the needle holder being releasably attached relative to the housing to enable the needle holder and the attached needle to be retracted, wherein the needle holder contains at least one finger member that engages relative to the housing to retain the needle holder to the housing, the finger member being deflectable between a locking position where the finger member retains the needle holder to the housing, and a release position where the needle holder can be retracted into the housing.
- 10. A blood collection device comprising a housing having an open rear end adapted to accommodate an evacuated blood collecting tube, and a front end, a



needle holder in the front end, a needle which is attached to the needle holder and which is double ended and has a first end (outer end) that projects from the housing and a second end (inner end) that projects into the housing, the needle holder being releasably attached relative to the housing to enable the needle holder and the attached needle to be retracted, with the proviso that the needle holder is releasably attached to the housing using a positive locking action and by frictional engagement.

5